

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Certificate of Analysis

1 of 1



| | | | | | (x10,000,000) | | | | | | Max Intensity : 36,190,410 76 Inten. 3.842,584 Oven Temp240.00 |
|----------|------------|------------|---------------|------------------|-----------------------|----------|-------|-------------------------|------------------|---------------------|---|
| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) | 4.0 TIC 3.5 3.0 | | | τ | 95-HHC 9R-HHC | Time 3.250 Scan# | 76 Inten. 3,842,584 Oven Temp240.00 |
| (9R)-HHC | | | 43.0 | 430.0 | 2.5 | | | tandar | 1111 > | | |
| (9S)-HHC | | | 48.1 | 481.0 | 1.5- | | | ernals | | | |
| | | | | | 1.0- | 4e en es | en es | T,0 7,5 8,0 8,5 9,0 9,5 | 10.0 16.5 | 11.0 11.5 12.0 12.5 | 13.0 13.5 14.0 14.5 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC + 0.877 + Δ 9-THC; Total CBD = CBDA + 0.877 + CBD;





10/19/2021

Mlumes

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.